



EASY INSTALLATION,  
DURABLE DESIGN





**Trespa Pura** NFC®

# CREATE FAÇADES WITHOUT CONCERNS

TRESPA PURA NFC® PROVIDES A SOLUTION CONSISTING OF SIDINGS, FASTENERS AND MATCHING ACCESSORIES. THE SIDINGS ARE NOT ONLY ATTRACTIVE, BUT ARE ALSO HIGHLY DURABLE. SIDINGS UNDERGO EXTENSIVE TESTING FOR IMPACT AND UV RESISTANCE AND COME WITH A 10-YEAR PRODUCT GUARANTEE, WHICH INCLUDES COLOR STABILITY. THE SYSTEM GIVES MAXIMUM DESIGN FREEDOM AND A LONG LASTING, BEAUTIFUL FINISH.







#### **PREFINISHED SIDINGS**

No need to cut or router, the sidings are ready to use.

.....



#### **EASILY INSTALLED**

Installed quickly with no mess and no fuss.

.....



#### **SOLID & STURDY**

High scratch and impact resistance guarantees hassle-free installation and a beautiful end result.

.....



#### **WEATHER RESISTANT**

Performs exceptionally well outdoors and will stay attractive for many years. Sun and rain have no significant effect on the w surface.

.....



#### **NO NEED TO PAINT EASY TO CLEAN**

The closed surface of Trespa Pura NFC® results in little build-up of dirt. Minimal maintenance is required, it is easy to clean, and painting will not be necessary in the future.

.....



#### **10 YEAR GUARANTEE**

Guarantee on product performance, including color stability.

.....



The sidings are made from up to 70% natural fibres, which are sourced from sustainable forests. All Trespa Pura NFC® products are certified according to the PEFC™ standard.


# AN EASY AND VERSATILE SOLUTION

TRESPA PURA NFC® IS A VERSATILE SOLUTION FOR MOST SIDING PROJECTS. BOTH LAP AND FLUSH SIDINGS CAN BE INSTALLED EITHER VERTICALLY OR HORIZONTALLY. THE SIDINGS CAN BE EASILY HANDLED AND ARE SIMPLE TO CUT. TRESPA PURA NFC® IS THE PERFECT ANSWER FOR BOTH INNOVATIVE AND TRADITIONAL VENTILATED FAÇADE PROJECTS. VENTILATED FAÇADES ARE MORE THAN JUST A DESIGN FEATURE, THEY CAN ALSO PROVIDE ENERGY EFFECTIVE SOLUTIONS.

## MATCHING COMPONENTS



Profiles




Clips




Screws

## VENTILATED FAÇADE

A continuous airflow draws air through the cavity, aiding in the removal of heat and moisture from rain or condensation. The dry and comfortable conditions of the building may also have a positive contribution to the indoor environment.








### **FLUSH SIDING**

A flat, flush surface is easily achieved by mounting Trespa Pura NFC® sidings side by side, horizontally or vertically.

.....



### **LAP SIDING**

Lap siding is the traditional way of applying sidings to a wall.

.....



### **VERTICAL SIDING**

Trespa Pura NFC® can also be applied vertically in different ways. The example shows alternate lap and flush sidings.

**Trespa Pura** NFC®

# FITS ANY RESIDENTIAL STYLE, ANYWHERE

TRESPA PURA NFC® IS THE PERFECT CHOICE FOR ANY FAÇADE SIDING IN EITHER MODERN OR TRADITIONAL FITTING; IT GIVES MAXIMUM DESIGN FREEDOM.

Trespa Pura NFC® is the perfect choice for siding façades. The beauty of the material can also benefit other areas of the building like fascias and dormers. Using variations in lengths, colors and styles can help to protect and enhance the appearance of buildings' façade.







**Trespa Pura** NFC®

# CREATIVE FREEDOM IN ALL AREAS

WITH ITS WIDE RANGE OF INSTALLATION OPTIONS, WOOD TONES AND UNI COLORS, TRESPA PURA NFC® OFFERS GREAT FUNCTIONAL AND AESTHETIC FREEDOM.

Trespa Pura NFC® is based on Trespa's decades of leadership in solutions for architects, construction companies and project developers. Trespa Pura NFC® innovative offering opens countless opportunities for building, rebuilding and refurbishing: façades and façade elements for a variety of sectors that includes schools, shops, banks, restaurants, offices and bars.







# EASY TO USE: PRE-PACKED SIDINGS AVAILABLE WITH A VARIETY OF FASTENERS AND MATCHING ACCESSORIES


## COLORS

### WOOD DECORS



COLOR CODE	COLOR NAME	CORE		FINISH		FIXING SYSTEM	
		BROWN	BLACK	MATT	SATIN		
PU02	Classic Oak	•		•		•	•
PU04	Royal Mahogany	•		•		•	•
PU08	Romantic Walnut	•		•		•	•
PU17	Aged Ash	•		•		•	•
PU22	Slate Ebony		•	•		•	•
PU24	Mystic Cedar	•		•		•	
PU28	Siberian Larch	•		•		•	
PU30	Tropical Ipe	•		•		•	

### UNI COLOURS




COLOR CODE	COLOR NAME	CORE		FINISH		FIXING SYSTEM	
		BROWN	BLACK	MATT	SATIN		
P03.0.0	White		•		•	•	
P03.4.0	Silver Grey		•		•	•	
P05.0.0	Pure White		•		•	•	
P04.0.2	Pale Yellow		•		•	•	
P05.5.0	Quartz Grey		•		•	•	
P12.6.3	Wine Red		•		•	•	
P25.8.1	Anthracite Grey		•		•	•	
P28.2.1	Aquamarine		•		•	•	

## PROJECT COLORS

In need of different Uni Colours or Wood Decors? Trespa Pura NFC® with black core is available in a wide range of standard Trespa® Uni Colours and Wood Decors. For more information, please contact your local Trespa representative.


## ORDER SAMPLES AT [TRESPA.COM](https://www.trespa.com)






## FASTENERS AND MATCHING ACCESSORIES


### FLUSH SIDINGS




SIZE	3050 x 186 mm
THICKNESS	8 mm
PLANK (GROSS)	0,57 m <sup>2</sup>
PLANK (NET)	0,55 m <sup>2</sup>
1 PALLET	36 Packs / 144 sidings
1 PACK	4 Sidings



Proface® outer-corner profile



Proface® finish profile




Proface® support profile



Universal clips




SFS intec Profile screws




SFS intec HPL fast fixing screws


### LAP SIDINGS




SIZE	3050 x 187 mm
THICKNESS	8 mm
PLANK (GROSS)	0,57 m <sup>2</sup>
PLANK (NET)	0,48 m <sup>2</sup>
1 PALLET	36 Packs / 144 sidings
1 PACK	4 Sidings




Proface® outer-corner profile



Proface® inner-corner profile




Proface® start profile



Proface® finish profile



SFS intec Profile screws



SFS intec HPL fast fixing screws

### PROFILES AND HPL SCREWS ARE AVAILABLE IN THE FOLLOWING COLORS:



Aluminum (PU00)



Black (PU90)



Slate Ebony (PU22)



Aged Ash (PU17)/  
Mystic Cedar (PU24)



Royal Mahogany (PU04)



Romantic Walnut (PU08)



Classic Oak (PU02)



Siberian Larch (PU28)



Tropical Ipe (PU30)

## TRESPA. THE ARCHITECTS' CHOICE FOR OVER 55 YEARS.

Trespa Pura NFC® is designed and created by Trespa, a specialist panelling and siding company headquartered in the Netherlands. Founded in 1960, Trespa is the first choice of exterior panelling for many of the world's leading architects, who insist on quality, reliability and durability for their projects.



## CONTACT US

### TRESPA INTERNATIONAL B.V.

P.O. Box 110, 6000 AC Weert  
Wetering 20, 6002 SM Weert  
The Netherlands  
[www.trespa.com](http://www.trespa.com)

### CUSTOMER SERVICE DESK EMEA EXPORT

Tel: +31 (0) 495 458 839  
[Info.Export@Trespa.com](mailto:Info.Export@Trespa.com)

### TRESPA NORTH AMERICA LTD.

350 Fifth Avenue, Ste 4610  
New York, NY 10118  
United States of America  
Tel: +1 800 487-3772  
[Info.NorthAmerica@Trespa.com](mailto:Info.NorthAmerica@Trespa.com)

### TRESPA UK LTD.

35 Calthorpe Road  
Edgbaston  
Birmingham, B15 1TS  
United Kingdom  
Tel: 0808-2340268  
[Info.UK@Trespa.com](mailto:Info.UK@Trespa.com)

## VISIT US

### TRESPA DESIGN CENTRE WEERT

Wetering 20  
6002 SM Weert  
The Netherlands  
Tel: +31 (0) 495 458 845  
[TDC.Weert@Trespa.com](mailto:TDC.Weert@Trespa.com)  
[www.trespa.com/us/tdc](http://www.trespa.com/us/tdc)

### TRESPA DESIGN CENTRE BARCELONA

Calle Ribera 5,  
08003 Barcelona  
Spain  
Tel: +34 (0) 93 295 4193  
[TDC.Barcelona@Trespa.com](mailto:TDC.Barcelona@Trespa.com)  
[www.trespa.com/us/tdc](http://www.trespa.com/us/tdc)

### TRESPA DESIGN CENTRE SANTIAGO

Eliodoro Yáñez 2831  
Torre A - Local 1  
Providencia, Santiago  
Chile  
Tel: +56 2 4069990  
[TDC.Santiago@Trespa.com](mailto:TDC.Santiago@Trespa.com)  
[www.trespa.com/us/tdc](http://www.trespa.com/us/tdc)

## FOLLOW US



## DISCLAIMER

### GENERAL

These terms apply to the use of this document and such use automatically means that the other party agrees to these terms. The information provided by Trespa International B.V. ("Trespa") in this document is solely indicative. Trespa is unable to warrant the accuracy and completeness of this information. Trespa may change the information included in this document at any time and without further notice. Trespa's customers and third parties must ascertain that they have the most recent document (for the most recent version, please consult: [www.trespa.com](http://www.trespa.com)). No rights can be derived from the information provided; the use of the information is at the other party's risk and responsibility. Trespa does not warrant that the information in this document is suitable for the purpose for which it is consulted by the other party. This document does not contain any design, structural calculation, estimate or other warranty or representation that customers and third parties may rely on. This document does not guarantee any properties of Trespa products. Colors used in Trespa's communications (including but not limited to printed matter) and in samples of Trespa's products may differ from the colors of the Trespa products to be supplied. Samples are not intended for use in product tests and are

not representative of characteristics of the Trespa products. Trespa's products and samples are produced within the specified color tolerances and the colors (of production batches) may differ, even if the same color is used. The viewing angle also influences the color perception. Metallic panels feature a surface whose color appears to change based on the direction from which it is viewed. The specified color stability and color specifications relate only to the decorative surface of the Trespa products, not to the core material and samples of the Trespa products. Trespa products are delivered ex-works with straight, sawn sides. Customers and third parties must have a professional adviser inform them about (the suitability of) the Trespa products for all desired applications and about applicable laws and regulations. Trespa does not warrant the above. The most recent version of the current delivery program and the Material Properties Datasheet can be found at [www.trespa.info](http://www.trespa.info). Only the information in the most recent and valid Material Properties Datasheet should be used to select and provide advice regarding Trespa products. Trespa reserves the right to change (the specifications for) its products without prior notice.

### LIABILITY

Trespa is not liable (neither contractual nor

non-contractual) for any damage arising from or related to the use of this document, except if and to the extent that such damage is the result of willful misconduct or gross negligence on the part of Trespa and/or its management. The limitation of liability applies to all parties affiliated with Trespa, including but not limited to its officers, directors, employees, affiliated enterprises, suppliers, distributors, agents, and representatives.

### GENERAL CONDITIONS

All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related activities of Trespa are governed by the Trespa General Terms and Conditions of Sale (*Algemene verkoopvoorwaarden Trespa International B.V.*) filed with the Chamber of Commerce and Industry for Noord- en Midden-Limburg in Venlo (NL) on February 20th, 2015 under number 24270677, which can be found on and downloaded from the Trespa website, [www.trespa.com/documentation](http://www.trespa.com/documentation). All oral and written statements, offers, quotations, sales, supplies, deliveries and/or agreements and all related work of Trespa North America, Ltd. are governed by the Trespa North America General Terms and Conditions of Sale, which can be found on and downloaded from the Trespa website,

[www.trespa.com/documentation](http://www.trespa.com/documentation). A copy of these general conditions of sale will be provided free of charge on request. All general terms and conditions other than the conditions mentioned above are dismissed and do not apply, regardless of whether such terms and conditions are referred to on requests for offers, offer confirmations, stationery and/or other documents of the other party, even if Trespa does not expressly object to such terms and conditions

### INTELLECTUAL PROPERTY

All intellectual property rights and other rights regarding the content of this document (including logos, text and photographs) are owned by Trespa and/or its licensors. Any use of the content of this document, including distribution, reproduction, disclosure, storage in an automated data file or the dispatch of such a file without Trespa's prior written consent is explicitly prohibited. \* Trespa, Meteon, Athlon, TopLab, TopLab<sup>PLUS</sup>, TopLab<sup>ECO-FIBRE</sup>, TopLab<sup>VERTICAL</sup>, TopLab<sup>BASE</sup>, Virtuo, Izeon, Pura NFC, Volkern, Trespa Essentials and Mystic Metallics are registered trademarks of Trespa.

### QUESTIONS

Should you have any questions or comments, please do not hesitate to contact Trespa.



V1090-431477 ■ VERSION 3.3  
BROCHURE CODE V1090 ■ DATE 01-2019

VISIT [TRESPA.COM](http://TRESPA.COM) FOR THE MOST UP TO DATE VERSION OF THIS DOCUMENT.

TRESPA®